## **Product Combinations**

	Esthetic Luting Composite		Self-adhesive resin cement	
Cement	Variolin	k <sup>®</sup> Esthetic	SpeedCEM <sup>®</sup> Plus	
Curing Mode	Light-cure <sup>1</sup>	Light-/Dual-cure	Self-curing with light-curing option	
Cementation Method	Adhesive: Adhese <sup>®</sup> Universal	Adhesive: Adhese <sup>®</sup> Universal	Self-adhesive	
Glass-Ceramics, e.g. IPS Empress®				
Veneers	<ul> <li>✓</li> </ul>	<ul> <li>✓</li> </ul>		
Inlays/Onlays/Partial Crowns	V	<ul> <li>✓</li> </ul>		
Crowns		×		
Lithium Disilicate, e.g. IPS e.max® CAD/Press				
Veneers/Occlusal Veneers	<ul> <li>✓</li> </ul>	V		
Inlays/Onlays/Partial Crowns	<ul> <li>✓</li> </ul>	<ul> <li>✓</li> </ul>		
Crowns/Bridges		<ul> <li>✓</li> </ul>	✓ 2	
Oxide Ceramics, e.g. IPS e.max® ZirCAD				
Crowns/Bridges			v	
Endodontic Posts			<ul> <li>✓</li> </ul>	
Hybrid Ceramics and Composites, e.g. Tetric® CAD				
Veneers	<ul> <li>✓</li> </ul>	V		
Inlays/Onlays	v	<ul> <li>✓</li> </ul>		
Crowns		V		
Endodontic Posts			<ul> <li>✓</li> </ul>	
Metal / Metal-Based				
Inlays/Onlays/Partial crowns			<ul> <li>✓</li> </ul>	
Crowns/Bridges			<ul> <li>✓</li> </ul>	
Maryland Bridges		×		
Endodontic Posts			<ul> <li>✓</li> </ul>	

 $^{1}$   $\,$  Restorations with a layer thickness of < 2 mm  $\,$ 

<sup>2</sup> Crowns with a material thickness of >1.5 mm

Recommended product combination

Please take note of the corresponding Instructions for Use.

## **IPS® Ceramic Etching Gel**

The IPS<sup>®</sup> Ceramic Etching Gel is used for the creation of retentive bonding surfaces on all-ceramic restorations to prepare for cementation. It enhances the bonding effect between the composite cement and the ceramic bonding surface.



Г	)eli	ive	rv	fo	rm
	/ CII	100	1 V	10	

IPS® Ceramic Etching Gel Kit		531550
IPS Ceramic Etching Gel	1 x 5 ml	
Neutralizing Powder	1 x 30 g	
Dosing Scoop	1x	
Refill		
IPS Ceramic Etching Gel	1 x 5 ml	531548
Neutralizing Powder	1 x 30 g	531549