

# max® CAD

ate glass-ceramics (LS<sub>2</sub>)

							Indications							
C1	C2	C3	C4	D2	D3	D4	Occlusal veneers	Thin veneers	Veneers	Inlays, onlays	Partial crowns	Crowns	3-unit bridges	Hybrid abutment crowns

(High Translucency)

made of HT blocks

665857	665858	665859	665860	665861	665862	665863	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
665873	665874	665875	665876	665877	665878	665879	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			



(Medium Translucency)

ions.

							<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
--	--	--	--	--	--	--	-------------------------------------	-------------------------------------	-------------------------------------	--	-------------------------------------	-------------------------------------	--	--



(Low Translucency)

made from LT blocks

665777	665778	665779	665780	665781	665782	665783								
665793	665794	665795	665796	665797	665798	665799								
665809	665810			665813										
665810	686011			686012										
665820	686021			686022				<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
665830	686031			686032										
665840	686041			686042										
665825	665826			665829										



## Impulse

Opalescence

O2 (Opal)							<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					
665764							<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					

